

2012

Ph: (02) 4962 2691 Fax: (02) 4962 2004
73 Broadmeadow Rd
Broadmeadow, NSW 2292
admin@prolecelectrical.com.au
www.prolecelectrical.com.au

PRODUCT CATALOGUE



Standard &
Sloped
Enclosure

Page 3 - 4

Local Control
Station and
Junction Boxes

Page 5

Level 1
Visual Break
Isolators

Page 6



MANUFACTURED BY

protec
ENCLOSURES



www.prolecelectrical.com.au Ph 02 4962 2691

Our Enclosures are handmade using only the finest
Stainless Steel

At Protec Enclosures we strive to meet your needs and
guarantee all of our products. If you are not 100%
satisfied with your enclosures, we will replace them free of
charge.*

*Conditions Apply.



Standard Enclosures

Our range of standard enclosures come in a wide variety of sizes, starting from (H) 300 x (W) 200 x (D) 150mm up to (H) 1200 x (W) 800 x (D) 300mm. Enclosures come with optional left or right hinged doors. Standard panel lock is 8mm square key; however alternatives can be arranged upon request. All enclosures are fitted with powder coated gear plates.

Item Number	Item Description
E302015SS-L	Enclosure 300x200x150 S/S
E302015SS-R	Enclosure 300x200x150 S/S
E303015SS-L	Enclosure 300x300x150 S/S
E303015SS-R	Enclosure 300x300x150 S/S
E304015SS-L	Enclosure 300x400x150 S/S
E304015SS-R	Enclosure 300x400x150 S/S
E304020SS-L	Enclosure 300x400x200 S/S
E304020SS-R	Enclosure 300x400x200 S/S
E403015SS-L	Enclosure 400x300x150 S/S
E403015SS-R	Enclosure 400x300x150 S/S
E403020SS-L	Enclosure 400x300x200 S/S
E403020SS-R	Enclosure 400x300x200 S/S
E404020SS-L	Enclosure 400x400x200 S/S
E404020SS-R	Enclosure 400x400x200 S/S
E504020SS-L	Enclosure 500x400x200 S/S
E504020SS-R	Enclosure 500x400x200 S/S
E505020SS-L	Enclosure 500x500x200 S/S
E505020SS-R	Enclosure 500x500x200 S/S
E604020SS-L	Enclosure 600x400x200 S/S
E604020SS-R	Enclosure 600x400x200 S/S
E604030SS-L	Enclosure 600x400x300 S/S
E604030SS-R	Enclosure 600x400x300 S/S
E606020SS-L	Enclosure 600x600x200 S/S
E606020SS-R	Enclosure 600x600x200 S/S
E606030SS-L	Enclosure 600x600x300 S/S
E606030SS-R	Enclosure 600x600x300 S/S
E806020SS-L	Enclosure 800x600x200 S/S
E806020SS-R	Enclosure 800x600x200 S/S
E806030SS-L	Enclosure 800x600x300 S/S
E806030SS-R	Enclosure 800x600x300 S/S
E808030SS-L	Enclosure 800x800x300 S/S
E808030SS-R	Enclosure 800x800x300 S/S
E1008030SS-L	Enclosure 1000x800x300 S/S
E1008030SS-R	Enclosure 1000x800x300 S/S
E1208030SS-L	Enclosure 1200x800x300 S/S
E1208030SS-R	Enclosure 1200x800x300 S/S



Standard Sloped Roof Enclosures

Our range of standard sloped roof enclosures come in a wide variety of sizes, starting from (H) 300 x (W) 200 x (D) 150mm up to (H) 1200 x (W) 800 x (D) 300mm. Enclosures come with optional left or right hinged doors. Standard panel lock is 8mm square key; however alternatives can be arranged upon request. All enclosures are fitted with powder coated gear plates.

Item Number	Item Description
ESR302015SS-L	Enclosure Sloped Roof 300x200x150 S/S
ESR302015SS-R	Enclosure Sloped Roof 300x200x150 S/S
ESR303015SS-L	Enclosure Sloped Roof 300x300x150 S/S
ESR303015SS-R	Enclosure Sloped Roof 300x300x150 S/S
ESR304015SS-L	Enclosure Sloped Roof 300x400x150 S/S
ESR304015SS-R	Enclosure Sloped Roof 300x400x150 S/S
ESR304020SS-L	Enclosure Sloped Roof 300x400x200 S/S
ESR304020SS-R	Enclosure Sloped Roof 300x400x200 S/S
ESR404020SS-L	Enclosure Sloped Roof 400x400x200 S/S
ESR404020SS-R	Enclosure Sloped Roof 400x400x200 S/S
ESR504020SS-L	Enclosure Sloped Roof 500x400x200 S/S
ESR504020SS-R	Enclosure Sloped Roof 500x400x200 S/S
ESR505020SS-L	Enclosure Sloped Roof 500x500x200 S/S
ESR505020SS-R	Enclosure Sloped Roof 500x500x200 S/S
ESR604020SS-L	Enclosure Sloped Roof 600x400x200 S/S
ESR604020SS-R	Enclosure Sloped Roof 600x400x200 S/S
ESR604030SS-L	Enclosure Sloped Roof 600x400x300 S/S
ESR604030SS-R	Enclosure Sloped Roof 600x400x300 S/S
ESR606020SS-L	Enclosure Sloped Roof 600x600x200 S/S
ESR606020SS-R	Enclosure Sloped Roof 600x600x200 S/S
ESR606030SS-L	Enclosure Sloped Roof 600x600x300 S/S
ESR606030SS-R	Enclosure Sloped Roof 600x600x300 S/S
ESR806020SS-L	Enclosure Sloped Roof 800x600x200 S/S
ESR806020SS-R	Enclosure Sloped Roof 800x600x200 S/S
ESR806030SS-L	Enclosure Sloped Roof 800x600x300 S/S
ESR806030SS-R	Enclosure Sloped Roof 800x600x300 S/S
ESR808030SS-L	Enclosure Sloped Roof 800x800x300 S/S
ESR808030SS-R	Enclosure Sloped Roof 800x800x300 S/S
ESR1008030SS-L	Enclosure Sloped Roof 1000x800x300 S/S
ESR1008030SS-R	Enclosure Sloped Roof 1000x800x300 S/S
ESR1208030SS-L	Enclosure Sloped Roof 1200x800x300 S/S
ESR1208030SS-R	Enclosure Sloped Roof 1200x800x300 S/S



Local Control Stations and Junction Boxes

Item Number

LCS-1

LCS-2

LCS-3

Item Description

Local Control Station 1-Button

Local Control Station 2-Button

Local Control Station 3-Button



Item Number

J151510SS

J202015SS

Item Description

Junction box 150x150x100 S/S


Junction box 200x200x150 S/S



Level 1 Visual Break Isolators

Our range of Level 1 Visual Break Isolators come in a wide variety of sizes, ranging from 63AMP to 630AMP. Available in 3 and 4 pole switching. Our enclosures are fitted with stainless steel pad-lockable handles. All enclosures are fitted with powder coated gear plates. All isolators are fitted with a mechanical interlock fitted to the panel doors. This ensures the panel door cannot be opened whilst turned on.

Item Number	Item Description
ISO3P-63A	Visual Break Isolator 3 Pole 63A
ISO4P-63A	Visual Break Isolator 4 Pole 63A
ISO3P-100A	Visual Break Isolator 3 Pole 100A
ISO4P-100A	Visual Break Isolator 4 Pole 100A
ISO3P-125A	Visual Break Isolator 3 Pole 125A
ISO4P-125A	Visual Break Isolator 4 Pole 125A
ISO3P-160A	Visual Break Isolator 3 Pole 160A
ISO4P-160P	Visual Break Isolator 4 Pole 160A
ISO3P-250A	Visual Break Isolator 3 Pole 250A
ISO4P-250A	Visual Break Isolator 4 Pole 250A
ISO3P-400A	Visual Break Isolator 3 Pole 400A
ISO4P-400A	Visual Break Isolator 4 Pole 400A
ISO3P-630A	Visual Break Isolator 3 Pole 630A
ISO4P-630A	Visual Break Isolator 4 Pole 630A



Custom Fabrication

With a focus on customer satisfaction, Prolec Enclosures can custom make any enclosure to suit individual needs – whatever the size or shape!



~ How to Order ~

To request a quote or more information on any of our products

Call Brad: 0408 669 823

Office: (02) 4962 2691

E-mail: admin@prolecelectrical.com.au

Also see our website:

www.prolecelectrical.com.au

